

What is claimed is;

Sub
a1

1. ~~A monochromatic image display system comprising~~
a display device which can express each picture element of
a monochromatic image by a series of cells each of which
5 can express tones in multiple levels, and a cell signal
generating means which generates, on the basis of a
monochromatic image signal determining the output luminance
of a monochromatic image, a cell signal for each cell which
determines the output tone level of the cell so that
10 average of the output luminances of all the cells for each
picture element corresponds to an output luminance of the
~~picture element.~~

Sub
a2

2. ~~A monochromatic image display system as defined~~
in Claim 1 in which the cell signal generating means
15 generates cell signals so that the output luminances of the
cells are substantially uniform.

3. A monochromatic image display system as defined
in Claim 1 in which the cell signal generating means
generates cell signals so that the output luminances of the
20 cells change at an inclination according to a tone gradient
vector of picture elements around the picture element
corresponding to the cells.

4. A monochromatic image display system as defined
in Claim 1 in which the cell signal generating means
25 intensity-modulates the input signal levels to the
~~respective cells independently of each other.~~

5. ~~A monochromatic image display system as defined~~
in Claim 1 in which the cell signal generating means time-
modulates the input signal levels to the respective cells
independently of each other.

5 6. A monochromatic image display system as defined
in Claim 5 in which the cell signal generating means time-
modulates the input signal levels to the respective cells
by ~~frame.~~

10 7. A monochromatic image display system as defined
in Claim 6 in which the cell signal generating means
determines the output tone level of each cell so that the
output luminances of frames are substantially uniform.

15 8. A monochromatic image display system as defined
in Claim 6 in which the maximum number of tones which can
be expressed by each cell per one frame is not smaller than
64 (6 bits).

Sub
D3
20 9. ~~A monochromatic image display system as defined~~
in Claim 1 further comprising a tone number conversion
means which carries out a tone number conversion processing
on an input original monochromatic image signal, thereby
~~generating said monochromatic image signal.~~

25 10. A monochromatic image display system as
defined in Claim 9 in which the number of tones represented
by the original monochromatic image signal is not smaller
than 256 (8 bits).

11. A monochromatic image display system as

defined in Claim 1 in which the display device expresses each picture element by three cells.

12. A monochromatic image display system as defined in Claim 1 in which the display device is a liquid crystal panel.

5 *Sub*
as 13. ~~A monochromatic image display system~~
comprising

a display device which can express each picture element of a monochromatic image by a series of cells each of which can express tones in multiple levels and at least two of which have maximum out levels different from each other, and

10 a drive means which drives the cells so that the output level difference per one level differs from each other between said at least two cells.

15 14. A monochromatic image display system as defined in Claim 13 in which the maximum output level of one of said at least two cells is substantially the same as the output level difference per one level of the other cell.

20 15. A monochromatic image display system as defined in Claim 14 in which the drive means drives the cells so that said at least two cells express tones in substantially the same number of levels.

25 16. A monochromatic image display system as defined in Claim 13 in which the display device is a liquid

0 crystal panel provided with monochromatic filters which are different in transmittance and respectively formed on said at least two cells for each picture element so that the maximum output levels of said at least two cells become different from each other.

5
Sub 05
17. A monochromatic image display system as defined in Claim 13 in which the display device is an organic EL panel in which said at least two cells for each picture element emit light in the same color at different
10 luminances for a given signal level.

Sub a3
18. A flat panel image display system using a flat panel-like display device characterized in that the display device is a monochromatic display device which makes a display in a color which falls within the region surrounded
15 by points (0.174, 0), (0.4, 0.4) and (α , 0.4) as represented by co-ordinates (x, y) on a CIE chromaticity diagram, wherein α represents the x-coordinate of the intersection of a spectrum locus and a straight line $y=0.4$.

20 Sub 07
19. A flat panel image display system as defined in Claim 18 in which the display device is a display device which is provided with at least one of elements including a substrate, a face plate, a diffuser panel, a color filter, a diffuser film, a collimator film, a prism film and a polarizing film which are colored to a predetermined color.

25 Sub a4
20. A flat panel image display system as defined in Claim 18 in which

~~the display device comprises a plurality of cells~~
and can express each picture element of a monochromatic
image by a series of cells, and

there is provided at least one of an area
5 modulation means which controls the output luminance of
each picture element by selectively turns on and off input
signals to the respective cells for the picture element
independently of each other, a time modulation means which
drives the respective cells for each picture element in a
10 time division system, and an intensity modulation means
which controls input signal levels to the respective cells
for each picture element independently of each other,
wherein the cells are driven so that the maximum luminance
of each picture element is in the range of 100cd/m^2 to
15 ~~10000cd/m^2~~ .

Sub
D9
21. ~~A flat panel image display system as defined~~
in Claim 20 in which the maximum luminance of each picture
element is in the range of 500cd/m^2 to 5000cd/m^2 .

22. A flat panel image display system as defined
20 in Claim 18 in which the display device is a liquid crystal
panel.

23. A flat panel image display system as defined
in Claim 18 in which the display device is an organic EL
panel.

Add
a5

Add
B1

Add
D-12